



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

09/939,253

08/24/2001

James M. Derderian

4830US (01-0106)

2189

24247

7590

04/21/2006

TRASK BRITT

P.O. BOX 2550

SALT LAKE CITY, UT 84110

EXAMINER

WILLIAMS, ALEXANDER O

ART UNIT

PAPER NUMBER

2826

DATE MAILED: 04/21/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary	Application No. 09/939,253	Applicant(s) DERDERIAN, JAMES M.	
	Examiner Alexander O. Williams	Art Unit 2826	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 26 January 2006.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1 to 13, 17-26, 31 to 33, 37 to 39 and 42 to 44 is/are pending in the application.
- 4a) Of the above claim(s) 14 to 16, 27 to 30, 34 to 36, 41 and 48 to 67 is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-13, 17-26, 31-33, 37-39 and 42-44 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|---|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

Art Unit: 2826

Serial Number: 09/939253 Attorney's Docket #: 4830US(01-0106)

Filing Date: 8/24/01;

Applicant: Derderian

Examiner: Alexander Williams

Applicant's Amendment filed 1/26/06 have been acknowledged. The claims being examined are claims 1 to 13, 17-26, 31 to 33, 37 to 39 and 42 to 44.

This application contains claims 14 to 16, 27 to 30, 34 to 36, 41 and 48 to 67 drawn to an invention non-elected without traverse in Paper No. 11.

Claims 40 and 68 to 102 have been canceled.

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Initially, and with respect to claims 1 and 19, note that a "product by process" claim is directed to the product per se, no matter how actually made, In re Hirao, 190 USPQ 15 at 17 (footnote 3). See also In re Brown, 173 USPQ 685; In re Luck, 177 USPQ 523; In re Wertheim, 191 USPQ 90 (209 USPQ 554 does not deal with this issue); In re Fitzgerald, 205 USPQ 594, 596 (CCPA); In re Marosi et al., 218 USPQ 289 (CAFC); and most recently, In re Thorpe et al., 227 USPQ 964 (CAFC, 1985) all of which make it clear that it is the final product per se which must be determined in a "product by process" claim, and not the patentability of the process, and that, as here, an old or obvious product produced by a new method is not patentable as a product, whether claimed in "product by process" claims or not. Note that Applicant has burden of proof in such cases as the above case law makes clear.

Claims 1 to 10, 17, 19 to 26, 33, 37 to 39 and 42 to 44 are rejected under 35 U.S.C. 103(a) as being unpatentable over Nakanishi et al. (U.S. Patent Application Publication # 2001/0013643).

For example, in claim 1, Nakanishi et al. (figures 1 to 12) specifically figure 9 show a semiconductor device for use in a stacked multi-chip assembly, comprising: a semiconductor die **2**; and a dielectric spacer layer **24,25** formed on and secured to at

least a portion of a surface of said semiconductor die and protruding from the surface substantially a predetermined distance that said semiconductor die and an adjacent semiconductor die 1 of said stacked multi-chip assembly are to be spaced apart from one another, the dielectric spacer layer protruding from the surface substantially the predetermined distance, at least one intermediate conductive element **8a** is secured to a bond pad of the semiconductor die, said spacer layer including voids (**space between the two ends of 24,25**) communicating with a lateral periphery thereof. Applicant's claim language of "the dielectric spacer layer protruding from the surface substantially the predetermined distance **before** at least one intermediate conductive element is secured to a bond pad of the semiconductor die" is considered product by process language in the examination of a product claim. Therefore, **the Examiner is interested in finding the claimed final structure in the claim language.** Whether the dielectric spacer layer is processed before or after the at least one intermediate conductive element is secured to a bond pad does not change the final structure of the device and therefore the language has been considered is given little weight in the examination of the claims in finding the claimed final structure..

For example, in claim 19, Nakanishi et al. (figures 1 to 12) specifically figure 9 show a semiconductor device assembly, comprising: a first semiconductor device **2**; a nonconfluent spacer layer **24,25** comprising dielectric material secured to a surface of said first semiconductor device, a second semiconductor device **1** positioned over said first semiconductor device, a surface of said second semiconductor device being secured to said nonconfluent spacer layer; and the second semiconductor device, including a back side secured to the nonconfluent spacer layer. Applicant's claim language of "a nonconfluent spacer layer comprising dielectric material secured to a surface of said first semiconductor device and, **prior to** securing an intermediate conductive element to any of the bond pads, protruding from the active surface substantially a same distance the active surface of the first semiconductor device is to be spaced apart from the back side of a semiconductor device" is considered product by process language in the examination of a product claim. Therefore, the Examiner is interested in finding the claimed final structure in the claim language. Whether the nonconfluent spacer layer is processed before or after the securing the intermediate conductive layer element (wire) to any of the bond pads does not change the final structure of the device and therefore the language is given little weight in the examination of the claims.

As to the grounds of rejection under section 103, see MPEP § 2113.

In claim 37, Nakanishi et al. (figures 1 to 12) specifically figure 9 show a substrate 5 upon which one of said first semiconductor device 2 and said second semiconductor device 1 is positioned.

In claim 38, Nakanishi et al. (figures 1 to 12) specifically figure 9 show at least one bond pad of at least one of said first semiconductor device 2 and said second semiconductor device 2 is in communication with a corresponding contact area of said substrate 5.

In claim 39, Nakanishi et al. (figures 1 to 12) specifically figure 9 show the substrate comprising at least one of a circuit board, an interposer, another semiconductor device, and leads 5.

As to the grounds of rejection under section 103, see MPEP § 2113.

Claims 11 and 12 are rejected under 35 U.S.C. 103(a) as being unpatentable over Nakanishi et al. (U.S. Patent Application Publication # 2001/0013643) in view of Smith, Jr. et al. (U.S. Patent # 6,049,370).

Nakanishi et al. show the features of the claimed invention as detailed above, but fail to explicitly show a spacer layer comprising polymer, where as the polymer comprises a photoimageable polymer. Shimi does disclose that the jumper strips 50A, 50B, and 50C can be made of a variety of insulative materials and by a variety of techniques. For example, they can be fabricated from a resin tape or a sheet of fiberglass impregnated with an epoxy resin using conventional circuit tape or PCB fabrication techniques. Photoimageable polymer is defined to be a photoresist polymer.

Smith, Jr. et al. is cited for showing liquid crystal light valve using internal, fixed spacers. Specifically, Smith, Jr. et al. (figures 2 to 5) specifically figure 3 discloses a variety of materials may be used to form the spacer pads 40, including

Art Unit: 2826

an oxide, such as silica or indium tin oxide, a metal, such as chromium, aluminum, or gold, and polymers, such as polyimides or photoresist materials for the purpose of giving spacing between electrical connecting materials.

Therefore, it would have been obvious to one of ordinary skill in the art to use Smith, Jr. et al.'s photoresist polymer spacer to modify Nakanishi et al.'s spacers for the purpose of giving spacing between electrical connecting materials.

Claims 18 and 31 are rejected under 35 U.S.C. 103(a) as being unpatentable over Nakanishi et al. (U.S. Patent Application Publication # 2001/0013643) in view of Blanton (U.S. Patent # 5,220,200).

Initially, it is noted that the 35 U.S.C. § 103 rejection based on a dielectric spacer layer and a plurality of at least partially superimposed, contiguous, adhered sublayers deals with an issue (i.e., the integration of multiple pieces into one piece or conversely, using multiple pieces in replacing a single piece) that has been previously decided by the courts.

In Howard v. Detroit Stove Works 150 U.S. 164 (1893), the Court held, "it involves no invention to cast in one piece an article which has formerly been cast in two pieces and put together...."

In In re Larson 144 USPQ 347 (CCPA 1965), the term "integral" did not define over a multi-piece structure secured as a single unit. More importantly, the court went further and stated, "we are inclined to agree with the solicitor that the use of a one-piece construction instead of the [multi-piece] structure disclosed in Tuttle et al. would be merely a matter of obvious engineering choice" (bracketed material added). The court cited In re Fridolph for support.

In re Fridolph 135 USPQ 319 (CCPA 1962) deals with submitted affidavits relating to this issue. The underlying issue in In re Fridolph was related to the end result of making

Art Unit: 2826

a multi-piece structure into a one-piece structure. Generally, favorable patentable weight was accorded if the one-piece structure yielded results not expected from the modification of the two-piece structure into a single piece structure.

Nakanishi et al. dielectric layer can be a plurality of at least partially superimposed, contiguous, adhered sublayers.

Blanton is cited for showing provision of substrate pillars to maintain chip standoff. Specifically, Blanton (figures 1 to 3) specifically figure 3 discloses dielectric layer can be a plurality of at least partially superimposed, contiguous, adhered sublayers for the purpose of providing standoff means to space an integrated circuit.

Therefore, it would have been obvious to one of ordinary skill in the art to use the dielectric spacer layer and a plurality of at least partially superimposed, contiguous, adhered sublayers as "merely a matter of obvious engineering choice" as set forth in the above case law. However, it would have been obvious to one of ordinary skill in the art to use Blanton's series of layer to make a spacer to modify Nakanishi et al.'s spacers for the purpose of providing standoff means to space an integrated circuit.

Claims 11, 13 and 32 are rejected under 35 U.S.C. 103(a) as being unpatentable over Nakanishi et al. (U.S. Patent Application Publication # 2001/0013643) in view of Mueller et al. (U.S. Patent # 6,316,786 B1).

Nakanishi et al. show the features of the claimed invention as detailed above, but fail to explicitly show a spacer layer comprising (all types) at least one of a glass, a silicon oxide, a silicon nitride, and a silicon oxynitride.

Art Unit: 2826

Mueller et al. is cited for showing an organic opto-electronic devices. Specifically, Mueller et al. (figures 1A to 3c) specifically figure 1B discloses spacers 13 and 15 comprising silicon nitride, SiN.sub.x, SiO.sub.x, SiO.sub.2, Siliconoxynitride (SiON), organic compounds such as polyimides, aluminiumoxide, aluminiumnitride, or titaniumoxide, for example for the purpose of providing sufficient contact between the layers and damage between the layers are avoided.

Therefore, it would have been obvious to one of ordinary skill in the art to use Mueller et al.'s spacer to modify Nakanishi's spacers for the purpose of providing sufficient contact between the layers and damage between the layers are avoided.

Response

Applicant's arguments filed 1/26/06 have been fully considered, but are not found to be persuasive in view of the outstanding modified grounds of rejections detailed above. Applicant's arguments stating "voids communicating with a lateral periphery thereof" is not found to be persuasive. In figure 9, Nakanishi et al. show an voids between 24 and 7. The spacer layers are shown as 24,25.

Accordingly, **THIS ACTION IS MADE FINAL**. See M.P.E.P. § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 C.F.R. § 1.136(a).

A SHORTENED STATUTORY PERIOD FOR RESPONSE TO THIS FINAL ACTION IS SET TO EXPIRE THREE MONTHS FROM THE DATE OF THIS ACTION. IN THE EVENT A FIRST RESPONSE IS FILED WITHIN TWO MONTHS OF THE MAILING DATE OF THIS FINAL ACTION AND THE ADVISORY ACTION IS NOT MAILED UNTIL AFTER THE END OF THE THREE-MONTH SHORTENED STATUTORY PERIOD, THEN THE SHORTENED STATUTORY PERIOD WILL EXPIRE ON THE DATE THE ADVISORY ACTION IS MAILED, AND ANY EXTENSION

Art Unit: 2826

FEE PURSUANT TO 37 C.F.R. § 1.136(a) WILL BE CALCULATED FROM THE MAILING DATE OF THE ADVISORY ACTION. IN NO EVENT WILL THE STATUTORY PERIOD FOR RESPONSE EXPIRE LATER THAN SIX MONTHS FROM THE DATE OF THIS FINAL ACTION.

Field of Search	Date
U.S. Class and subclass: 257/686,685,777,778,784-787,734,737,738,723,730,773	9/9/02 2/22/03 5/8/03 8/18/03 11/17/03 5/4/04 1/23/05 5/1/05 10/18/05
Other Documentation: foreign patents and literature in 257//686,685,777,778,784-787,734,737,738,723,730,773	9/9/02 2/22/03 5/8/03 8/18/03 11/17/03 5/4/04 1/23/05 5/1/05 10/18/05
Electronic data base(s): U.S. Patents EAST	9/9/02 2/22/03 5/8/03 8/18/03 11/17/03 5/4/04 1/23/05 10/18/05

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Alexander O Williams whose telephone number is (571) 272 1924. The examiner can normally be reached on M-F 6:30-7:00PM.

Art Unit: 2826

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nathan Flynn can be reached on (571) 272 1915. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

AOW
4/14/06



Alexander Williams
Primary Examiner